




ALLSEASONS  
COMFORT

# ONEGA

VERANDA

*Provedite više vremena vani i  
uživajte u svježem zraku!*





	W max.	P max.
Polikarbonat Polycarbonate	500 cm	500 cm
Staklo Glass	500 cm	350 cm

Onega Veranda omogućuje vam da provedete više vremena u svom vrtu i uživajte na svježem zraku. Dodatni životni prostor koji omogućava korištenje četiri godišnja doba povećat će vrijednost vašeg doma i zaštititi vas od utjecaja sunca, kiše i vjetera. Uživat ćete u sunčevoj toplini po vrućem vremenu i imati dodatnu zaštitu po hladnom vremenu.

Onega je savršen model kada tražite vrhunsku vrtu tendu s nešto nižim budžetom. Jednostavan i funkcionalan dizajn učinio je ovaj model popularnim izborom u mnogim vrtovima. Uživat ćete u svom zimskom vrtu koji će biti oblikovan kombinacijom aluminijskih profila i polikarbonatnih ploča s jakom i velikom otpornošću na udarce ili staklenim stropnim materijalom, bez potrebe za održavanjem.

Savršeno se integriše s ostalim proizvodima Garda (ZIP zavjesa), Nice (giljotinski motorni prozor), Basic 56/60, Nova Slide, SF 60 T (Vrata-Prozor sistemi), i omogućuje vam da iskoristite svoj prostor tokom četiri sezone. Možete odabrati široku paletu boja prilagođenu vašim potrebama ili okruženju u koje želite instalirati pergolu.

*Onega Veranda allows you to spend more time in your garden and enjoy the fresh air. The extra living space that allows four seasons of use will increase the value of your home and protect you against the effects of sun, rain and wind. You will enjoy the warmth of the sun in hot weather and have extra protection in cold weather.*

*Onega is the perfect model when you're looking for a top quality patio awning with a slightly lower budget. It's simple and functional design has made this model a popular choice in many gardens.*

*You will enjoy your winter garden, which will be formed by the combination of aluminum profiles and polycarbonate plates with strong and high impact resistance or glass ceiling material, for many years without the need for maintenance.*

*It is perfectly integrated with other products Garda (Zip Curtain), Nice (Guillotine Window), Basic 56/60, Nova Slide, SF 60 T (Door-Window systems), and allows you to benefit from your space in four seasons. You can choose a wide range of colors adapted to your needs or the environment where you want to install the pergola.*




Materijal // 6063 T5 aluminijum, nehrđajući čelik i delrin.

Materials // 6063 T5 aluminum, stainless steel and delrin.




RAL Boje  
Boja po Vašem izboru, prema RAL standardu.

RAL Color Selection  
Coloring of your choice, according to the RAL color standard.



Izvršna otpornost na vremenske uslove (kiša, snijeg), vlagu i vjetar.

Great resistance to weather conditions of rain, snow humidity and wind.



1<sup>st</sup> CLASS  
ALUMINIUM SYSTEMS



### Test otpornosti na vjetar

Standard UNE-EN 13659:2004 Klasa 6 // (ca. 112 km/h) Nisu otkrivene pukotine.

### Wind Load Resistance Test

UNE-EN 13659: 2004 Class 6 // (approx. 112 km / h) not tested up to 190 km / h. No breakage was detected.

### Test za kišu

Standard UNE-EN 12056-3 // (0.03 l/s max.) Konstantna jaka kiša 108 l.m<sup>2</sup>/h (konstrukcija + lamele).

### Rain Test

Standard UNE-EN 12056-3 // (0.03 l/s max) Fixed heavy rain approx. 108 l.m<sup>2</sup>/h (structures + lamels)

### Odvodnja oborinskih voda

Voda se iz kanala sa aluminijumskih lemelnih profila prenosi na rubne profile, a nakon toga voda se prenosi kroz stubove i van objekta.

### Rainwater Drainage

Rainwater collected in the gutter profile by flowing over the roof is transferred to vertical posts and water discharge is provided.

### Površinska zaštita

U skladu sa specifikacijama kvaliteta za Qualicoat, Qualideco i Qualanod standarde.

Dostupne su boje prema RAL karti, anodizirani ili drveni efekti. 10 godina garancije za površinsku zaštitu.

### Finishes

In accordance with specifications for Qualicoat, Qualideco and Qualanod. RAL colour, anodized or wood effect finishes are available. 10 years of warranty for finishes.

